


SOW-00-847-4-8F557B-1/1
1 October 1999

STATEMENT OF WORK (SOW) FOR THE
Rebuild of the Relay Assembly RE-1165/U Decoder
Printed Wiring Assembly (PWA) 1A2 NSN 5998-01-363-9540



R. BOSWELL
Equipment Specialist
Elec/Sensor Section (Code 847-4)
MCLB, Albany, GA



E. POWELL
Inventory Manager
Elec/Sensor Section (Code 847-4)
MCLB, Albany, GA



PHYLLIS W. SPIVEY
Weapon System/Equipment Manager
Elec/Sensor Section (Code 847-4)
MCLB, Albany, GA

STATEMENT OF WORK FOR THE
Rebuild of the Relay Assembly RE-1165/U Decoder
Printed Wiring Assembly (PWA) 1A2 NSN 5998-01-363-9540

1.0 SCOPE. This Statement of Work (SOW) identifies the work effort that shall be performed by the contractor to rebuild the Relay Assembly Decoder PWA (1A2), NSN 5998-01-363-9540. This PWA provides filtering, amplification and conversion to pulses of analog demodulated signals.

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-2073-1C	DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973	Configuration Management
-------------	--------------------------

2.2 Other Government Publications

87001F1350	Technical Data Package 87001F1350/ Cage 01365
DOD 4000.25-1-M	MILSTRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Material From The Federal Supply System

2.3 Industry Standard

EIA-625	EIA Standard, Requirements for Handling Electrostatic-Discharge-Sensitive (ESDS) Devices
ANSI/ISO/ASQC Q9003-1994	Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, ATTN: (Code 825-3), 814 Radford Blvd. Suite 20320, Albany, GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 The contractor shall rebuild the Decoder PWA in accordance with Technical Data Package 87001F1350.

3.2 The contractor shall establish, implement and document an ESD control program following the guidelines provided in EIA-625. ESD protective measures shall be used during rebuild, test, marking, packaging, storing and transporting the PWA Digital CCA.

3.3 Quality acceptance and test procedures shall be in accordance with the Test Requirements, drawing 87001F1361/CAGE 01365, contained in the Technical Data Package.

3.4 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by documentation contained in Technical Data Package 87001F1350. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4., as a guide.

3.5 Quality Assurances Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

3.6 Packaging, Handling, Storage and Transportation (PHS&T).

a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be to the Level "A" requirements of MIL-STD-2073-1C, Appendix J, Table J.1a, Specialized Preservation Code "GX." Items being prepared for domestic shipment or immediate use shall be to Level "B" requirements. All items subject to damage by electrostatic discharge shall be packed into a reusable fast-pack container.

b. Marking shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.

3.7 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or

incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/G316-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.8 Contractor Furnished Materiel (CFM). The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

(1 Data Item)

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

Page ____ of ____ Pages
Designed using Perform Pro, WMS/DIOR, Aug 98

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM Relay Assembly Decoder RE-1165/U	E. CONTRACT/PR NO.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM NO. A002	2. TITLE OF DATA ITEM Request For Waiver	3. SUBTITLE Configuration Management
--------------------------	---	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80641B	5. CONTRACT REFERENCE SOW 3.4	6. REQUIRING OFFICE MCLBA (825)
--	----------------------------------	------------------------------------

7. DD 256 REQ LT	8. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16	14. DISTRIBUTION
---------------------	-------------------------------	------------------------	--	------------------

9. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE	b. COPIES Draft Final Reg Repro
-------------	----------------	--------------------------------------	--------------	---------------------------------------

10. REMARKS	MCLBA (825-2)	0	1	0
-------------	---------------	---	---	---

Blk 4 - Contractor format is authorized.

Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation.

RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.

RFWs shall be submitted on a 3.5" disk in ASCII format.

Distribution Statement A: Approved for public release, distribution is unlimited.

15. TOTAL → 0 1 0

G. PREPARED BY <i>James E. Clark</i>	H. DATE 2/30/99	I. APPROVED BY <i>Phyllis W. Spivey</i>	J. DATE 7/6/99
---	--------------------	--	-------------------

DD FORM 1423-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED.

Page ____ of ____ Pages
Designed using Perform Pro, WHS/DIOR, Aug 96

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE